

附 录

证书编号：2017010907007095

第 1 页 共 5 页

纸 号：

本次申请型号及型号间差异、型号规格见下表

MPY-xxxY-AFAAG (“xxx”=400, 430, 450, 500, 530, 550, 600, 630, 650, 700, 730, 750, 800, 830, 850,代表输出功率：400W, 430W, 450W, 500W, 530W, 550W, 600W, 630W, 650W, 700W, 730W, 750W, 800W, 830W, 850W; “y”=0-9 or A-Z 用于区分销售市场.)

型号	输入	输出	
MPY-4001-AFAAG MPY-4001-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 6.3A	+12V/33.3A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.399.6W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.400W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 400W)
MPY-4301-AFAAG MPY-4301-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 6.3A	+12V/35.8A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.429.6W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.430W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 430W)
MPY-4501-AFAAG MPY-4501-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 6.3A	+12V/37.5A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.450W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.450W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 450W)
MPY-5001-AFAAG MPY-5001-ACAAG	100-240Vac or 200-240Vac,50/60Hz,	+12V/41.6A +5V/15A	+12V 输出: max.499.2W +5V&+3.3V 输出: max.100W

注：此附录与证书同时使用时有效。

附 录

证书编号：2017010907007095

第 2 页 共 5 页

纸 号：

	6.3A	+3.3V/15A -12V/0.3A +5VSB/2.5A	+12V&+5V&+3.3V 输出:max.500W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 500W)
MPY-5301-AFAAG MPY-5301-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 6.3A	+12V/44.1A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.529.2W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.530W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 530W)
MPY-5501-AFAAG MPY-5501-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 6.3A	+12V/45.8A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.549.6W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.550W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 550W)
MPY-6001-AFAAG MPY-6001-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 6.3A	+12V/50A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.600W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.600W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 600W)
MPY-6301-AFAAG MPY-6301-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/52.5A +5V/15A +3.3V/15A	+12V 输出: max.630W +5V&+3.3V 输出: max.100W

注：此附录与证书同时使用时有效。

附 录

证书编号：2017010907007095

第 3 页 共 5 页

纸 号：

		-12V/0.3A +5VSB/2.5A	+12V&+5V&+3.3V 输出:max.630W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 630W)
MPY-6501-AFAAG MPY-6501-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/54.1A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.649.2W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.650W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 650W)
MPY-7001-AFAAG MPY-7001-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/58.3A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.699.6W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.700W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 700W)
MPY-7301-AFAAG MPY-7301-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/60.8A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.729.6W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.730W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 730W)
MPY-7501-AFAAG MPY-7501-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/62.5A +5V/15A +3.3V/15A	+12V 输出: max.750W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.750W

注：此附录与证书同时使用时有效。

附 录

证书编号：2017010907007095

第 4 页 共 5 页

纸 号：

		-12V/0.3A +5VSB/2.5A	-12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 750W)
MPY-8001-AFAAG MPY-8001-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/66.6A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.799.2W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.800W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 800W)
MPY-8301-AFAAG MPY-8301-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/69.1A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.829.2W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.830W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 830W)
MPY-8501-AFAAG MPY-8501-ACAAG	100-240Vac or 200-240Vac,50/60Hz, 12A-6A	+12V/70.8A +5V/15A +3.3V/15A -12V/0.3A +5VSB/2.5A	+12V 输出: max.849.6W +5V&+3.3V 输出: max.100W +12V&+5V&+3.3V 输出:max.850W -12V 输出:max.3.6W +5VSB 输出:max.12.5W (总输出功率: Max. 850W)
备注:			
("xx"=400, 430, 450, 500, 530, 550, 600, 630, 650, 700, 730, 750, 800, 830, 850,对于输出功率为 400W,			

注：此附录与证书同时使用时有效。

附 录

第 5 页 共 5 页

证书编号：2017010907007095

纸 号：

430W, 450W, 500W, 530W, 550W, 600W, 630W, 650W, 700W, 730W, 750W, 800W, 830W, 850W; “y”=0-9 or A-Z 用于区分销售市场.)

注：此附录与证书同时使用时有效。